

INDEX

- AC 130 gunship (see close air support)
- action on contact
 - examples, 3-22 through 3-24
 - forms of contact, seven, 3-13
 - four steps, 3-14 through 3-21
 - infiltration, 3-29
 - planning, 3-12
 - seven
- air assault, tactical enabling operation, 7-7
- air defense, combat support, 8-29
- through
 - 8-36
 - active, 8-35; 8-36 (illus)
 - Avenger, 8-31 (illus)
 - early warning procedures, 8-34
 - MANPADS, 8-31; 8-32 (illus)
 - passive, 8-34
 - Sentinel radar, 8-32; 8-33 (illus)
 - systems, 8-30 (illus) through 8-33 (illus)
 - weapon control status, 8-33
- ambush, 10-13 through 10-15
 - antiarmor, 10-15
 - deliberate, 10-14
 - hasty, 10-13
- angle T (see also fire support), 8-12; 8-13 (illus)
- antiarmor weapons, urban operations, use in, 7-23
- Apache helicopters, 8-25 (illus)
- area reconnaissance, 4-12 through 4-19
 - dismounted technique, 4-14
 - long-range observation, 4-16; 4-17 (illus)
 - mounted technique, 4-14
 - objective rally point, 4-15 (illus)
 - patrol, 10-8
 - short-range observation, 4-17; 4-18 (illus)
- area security, 5-15 through 5-24
 - convoy escort, 5-17 through 5-24
 - ambush, action at, 5-18; 5-19 (illus)
 - clear kill zone, 5-20; 5-21 (illus)
 - command and control, 5-18
 - obstacles, 5-23; 5-34 (illus)
 - short halt, 5-21
 - tactical disposition, 5-18 (illus)
 - echelon observation posts, 5-17 (illus)
 - platoon dispositions, 5-16 (illus)
 - route reconnaissance (see also separate entry), 5-17
- assembly area, tactical enabling operations, 7-8 through 7-10
- attack helicopters
 - fire support, CS, 8-25 (illus); 8-26 (illus)
 - urban operations, use in, 6-23
- bounding overwatch, movement technique, 3-11 (illus); 3-12 (illus)
- Bradley fighting vehicle, use in urban operations, 6-21
- bunker-type OP, 5-39 (illus)
- C2 (see command and control)
- CAS (see close air support)
- cave, observation post, 5-39
- checkpoints, security operations, 5-40 through 5-44
- close air support (CAS), fire support in CS, 8-21 through 8-24
 - AC 130 gunship, 8-21
 - battle damage assessment, 8-21 (illus)
 - marking friendly positions, 8-22 through 8-24 (table); 8-23 (table)
- combat patrol (see also ambush; see also raid), 10-12 through 10-16
- conversion tables
 - distance, English to metric, A-11 (table)
 - miles to kilometers per hour, A-12 (table)
 - operating frequency and wire element length, A-12 (table)

- COA (see course of action)
- coil, movement formation, 3-6; 3-7 (illus)
- column, movement formation, 3-5; 3-6 (illus)
 - during convoy escort, 5-21; 5-22 (illus)
- combat service support (CSS), 9-1 through 9-19
 - administrative, 9-11
 - casualty feeder report, 9-12 (illus); 9-13 (illus)
 - witness statement, 9-13 (illus); 9-14 (illus)
- aerial sustainment, 9-8
- classes of supply, 9-3
- development of plan, 9-2 through 9-4
- enemy prisoners of war, 9-17 through 9-19 (illus); 9-18 (illus)
- evacuation, 9-10
- maintenance, 9-9
- medical support, 9-14 through 9-17
 - aeromedical evacuation request, 9-16 (illus)
- responsibilities, 9-1
- resupply (see separate entry), 9-4 through 9-9
- urban operations, 6-17
- combat support (CS), 8-1 through 8-37
 - air defense (see also separate entry), 8-29 through 8-36
 - engineers (see also separate entry), 8-26 through 8-29
 - fire support (see also separate entry), 8-21 through 8-26
 - urban operations, 6-20 through 6-26
 - antiarmor weapons, 6-23
 - armored vehicles, 6-20 through 6-22 (illus); 6-21 (illus)
 - attack helicopters, 6-23
 - engineers, 6-22
 - snipers, 6-24 through 6-26
- command and control (C2), 2-1 through 2-3
- counterreconnaissance, techniques
 - during security operations, 5-13 through 5-15 (illus)
- course of action (COA)
 - actions on contact, 3-15 through 3-23
 - troop-leading procedures, analysis, 2-17 through 2-20
 - comparison, 2-19
 - criteria, 2-18 (table)
 - selection, 2-19
 - steps in analysis, 2-18
- CS (see combat support)
- CSS (see combat service support)
- enemy, analysis, during TLP, 2-14 through 2-16
- engineers
 - combat support, 8-26 through 8-29
 - medium engineer company, 8-26; 8-27 (illus); 8-28 (illus)
 - missions, 8-28
 - urban operations, use in, 6-22
- exfiltration, during movement, 3-30
 - urban operations, 6-11
- FBCB2 (see force XXI battle command brigade and below)
- fire support, 8-1 through 8-26
 - angle T, 8-12; 8-13 (illus)
 - call for fire, 8-5 through 8-8; 8-6 (illus); 8-7 (illus)
 - close air support (see also separate entry), 8-21 through 8-24
 - deviation, 8-9 (illus) through 8-12
 - binoculars, 8-11 (illus)
 - corrections, 8-11
 - hand/finger method, 8-10 (illus)
 - field artillery, 8-17
 - fire request channels, 8-19 through 8-21 (illus)
 - indirect, 8-3; 8-4 (table)
 - infiltration, 3-29
 - matrix, 8-5 (table)
 - mortars, 8-16
 - planning, CS, 8-1 through 8-3
 - quick fire channel, 8-20; 8-21 (illus)
 - range spotting (see separate entry),

- 8-13 through 8-16 (illus); 8-14 (illus); 8-15 (illus)
- urban operations, 6-12 through 6-17
 - field artillery, 6-14 through 6-16 (illus)
 - mortars, 6-12 through 6-14
 - precision guided munitions, 6-16
- force XXI battle command brigade and below (FBCB2)
- architecture, 1-3; 1-4 (illus)
- capabilities, 1-4
 - enemy activity, 1-5
 - enemy information, 1-4
 - enemy location, 1-5
 - friendly information, 1-4
 - unreported enemy, 1-5
- SBCT, 1-2
- standardized reporting, 1-5; 1-6 (illus)
- formulas
 - slope, A-9; A-10 (illus)
 - velocity, A-9; A-10 (illus)
 - width, A-9 (illus)
- FRAGO (see fragmentary order)
- fragmentary order, combat orders, 2-6
- fratricide avoidance, D-1 through D-4
- herringbone, movement formation, 3-7 (illus)
 - convoy escort, 5-21; 5-22 (illus)
- infiltration, 3-26 through 3-29
 - actions on contact, 3-29
 - planning, 3-27
 - rally points, 3-28
 - tactics, 3-27
 - techniques, 3-27
 - combination of methods, 3-29 (illus)
 - multiple lanes, 3-29 (illus)
 - single lane, 3-28 (illus)
 - urban operations, 6-11
- Javelin, F-1 through F-16
 - CLU, F-2 (illus)
 - employment, firing pair, F-5 (illus)
 - overlapping sectors of fire, F-5 (illus)
 - fighting position, F-11 (illus); F-12 (illus)
 - flight profiles, F-8 (illus)
 - range determination recognition method, F-14 (illus)
 - standoff range, F-6 (illus)
 - technical characteristics, F-1 (table)
 - urban operations, use in, F-7 through F-9 (illus)
- Kiowa Warrior, 8-25 (table)
- limited visibility, B-1 through B-11
 - equipment, B-3
 - illumination, B-5; B-6 (illus); B-7
 - night vision, B-9 through B-11 (illus); B-10 (illus)
 - night-vision devices, B-1; B-2 (illus); B-3 (table)
 - smoke, B-7 through B-9
- line, movement formation, 35 (illus)
- linkup, tactical enabling operation, 7-1
- M-1 series tanks, use in urban operations 6-21; 6-22 (illus)
- machine gun, M240B, G-1 through G-6
- maneuver
 - actions on contact, 3-15 through 3-23
 - SBCT, general, 1-16
- METT-TC (see mission, enemy, terrain and weather, troops and support available, time, and civil considerations)
- mission analysis, TLP, 2-7 through 2-17
- mission, enemy, terrain and weather, troops and support available, time, and civil considerations (METT-TC), mission analysis, basis, 2-7 through 2-17
- mission statement, 2-4
 - restated, platoon leader, TLP, 2-9

- mortars
 - fire support, CS, 8-16
 - urban operations, 6-12 through 6-14
- movement, 3-1 through 3-31
 - actions at danger areas, 3-24 through 3-26
 - action on contact (see separate entry), 3-12 through 3-24
 - control measures, 3-2
 - exfiltration (see separate entry), 3-30
 - formations (see separate entries), 3-3 through 3-7
 - dismounted, 3-3; 3-4 (illus)
 - mounted, 3-5 (illus); 3-6 (illus); 3-7 (illus)
 - infiltration (see also separate entry), 3-26 through 3-29
 - limited visibility navigation, 3-3
 - maps, 3-2
 - navigation, 3-1
 - route planning, 3-2
 - techniques (see separate entries), 3-7 through 3-12
- move-set, movement technique, 3-12
- NBC (see nuclear, biological, chemical)
- nuclear, biological, chemical (NBC), E-1 through E-4
 - characteristics of chemical agents, E-1 (table)
 - combat support, 8-37
 - comparison data for decontamination levels, E-4 (table)
 - MOPP levels, E-3 (table)
- observation posts, 5-24 through 5-44
 - construction techniques, 5-32 through 5-34
 - critical tasks, 5-24
 - employment, 5-34 through 5-44
 - mountainous, 5-35 through 5-37
 - types of ground OPs (see separate entries), 5-37 through 5-40
 - urban, 5-34
 - positions, 5-26 (illus)
 - sector sketch, 5-29; 5-30 (illus)
 - site selection, 5-27
 - types, 5-26
- obstacles
 - breach, 4-36
 - bypass, 4-36
 - convoy escort, 5-23; 5-34 (illus)
 - detection, 4-34
 - OAKOC, 2-10; 2-11 (illus)
 - reconnaissance, 4-34 through 4-37
 - types, 4-34
- operation order (OPORD)
 - combat orders, 2-5
 - issue, TLP, 2-21
- OPORD (see operation order)
- orders
 - combat, 2-4; 2-5 (table)
 - FRAGO, 2-6
 - OPORD, 2-5
 - TLP, 2-3
 - WARNO, 2-5
- passage of lines, tactical enabling operation, 7-2 through 7-4
- patrolling, 10-1 through 10-17
 - planning, 10-2 through 10-4; 10-3 (illus)
 - rally points, 10-5 through 10-7
 - types (see separate entries), 10-8 through 10-17
 - urban reconnaissance, dismounted, 4-32
 - mounted, 4-31
 - subterranean, 4-32
- platoon leader responsibilities, generally, 1-13
- platoon sergeant responsibilities, generally, 1-14
- presence patrol, 10-16
- quick fire channel (see also fire support) 8-20; 8-21 (illus)
- raid, combat patrol, 10-15

- range spotting/correction, fire support,
 - 8-13 through 8-16
 - creeping method, 8-15; 8-16 (illus)
 - hasty bracketing, 8-14; 8-15 (illus)
 - successive bracketing, 8-14 (illus)
- reconnaissance, 4-1 through 4-37
 - area (see separate entry), 4-12 through 4-19
 - commander's guidance, 4-6 (illus)
 - engagement decision, during, 4-4 (illus)
 - handover, 4-9 through 4-12
 - leader's, 2-20; 4-16; 10-7; 10-12
 - methods, 4-6 through 4-8
 - obstacles (see separate entry), 4-34 through 4-37
 - patrol, 10-8 through 10-12
 - route (see separate entry), 4-24 through 4-29
 - sensory techniques, 4-4
 - urban (see separate entry), 4-29 through 4-33
 - zone (see separate entry), 4-19 through 4-24
- rehearsal
 - reconnaissance, 4-8
 - types, TLP, 2-22
- relief in place, tactical enabling
 - operation, 7-4 through 7-6
- resupply, 9-4 through 9-8
 - emergency, 9-7
 - LOGPAC, 9-4
 - mounted service station, 9-5 (illus)
 - prestock, 9-7
 - service station, 9-6 (illus)
 - tailgate, 9-7 (illus)
- risk management, C-1 through C-6
 - potential hazards, C-2 (table)
 - risk levels, C-2 (illus)
- route reconnaissance, 4-24 through 4-29
 - actions during security operations, 5-17
 - control measures, 4-29 (illus)
 - fan, 4-25 (illus)
 - overlays, 4-26; 4-27 (illus)
 - patrol, 10-11; 10-12 (illus)
 - tasks, 4-27
 - techniques, 4-28
- SAW (see squad automatic weapon)
- SBCT (see Stryker brigade combat team)
- scrape, observation post, 5-37; 5-38 (illus)
- security operations, 5-1 through 5-44
 - area (see also area security), 5-2; 5-15 through 5-24
 - cover, 5-1
 - guard, 5-1
 - missions, 5-3 through 5-15
 - observation posts (see separate entry), 5-24 through 5-44
 - checkpoints, 5-40 through 5-44
 - screen, 5-1
 - surveillance techniques, 5-5 through 5-13
- task organization 5-6 (illus)
 - counterreconnaissance, 5-8
 - cueing, 5-6; 5-7 (illus)
 - early warning, 5-7 (illus)
 - harrass and impede, 5-12
 - maintain contact, 5-9 through 5-11; 5-10 (illus)
 - priority, change, 5-9 (illus)
 - redundant coverage, 5-6 (illus)
- snipers, urban operations, use in, 6-24 through 6-26
- spider hole, observation post, 5-37 (illus)
- squad automatic weapon (SAW), M249, G-1 through G-6
- stay-behind, tactical enabling operations, 7-6
- Stryker brigade combat team (SBCT)
 - C3, 1-2
 - combat orders and graphics, 1-6
 - combat power, 1-16
 - employment considerations, 1-17
 - FBCB2, 1-3; 1-4 (illus)
 - limitations, 1-8
 - mobility, 1-7

- night-vision equipment, 1-7; 1-8
 - (table)
- organization, 1-9 through 1-11; 1-10
 - (illus)
 - dismounted element, 1-11 (illus)
 - mounted element, 1-10; 1-11
 - (illus)
 - platoon headquarters, 1-10
- reconnaissance section and teams, 1-12
- responsibilities, 1-13 through 1-16
- standardized reporting, 1-5; 1-6
 - (illus)
- survivability, 1-2
- sustainability, 1-7
- training considerations, 1-18
- symbols, A-1 through A-8
 - material, facility, equipment, and services, A-8 (illus)
 - overlay graphics, A-7 (illus)
 - overlay symbols, A-2 through A-6
 - (illus)
- tent-type, observation post, 5-38; 5-39
 - (illus)
- terrain
 - analysis, TLP, 2-9 through 2-14
 - key terrain, 2-12 (illus)
 - OAKOC, 2-4 (illus) through 2-13
 - restricted, 2-9
- TLP (see troop-leading procedure)
- traveling, movement technique, 3-8; 3-9
 - (illus)
- traveling overwatch, movement technique, 3-9; 3-10 (illus)
- troop-leading procedure (TLP), 2-6
 - (illus) through 2-22
 - course of action, 2-17 through 2-20
 - criteria, 2-18 (table)
 - steps, in analysis, 2-18
 - METT-TC, 2-7 through 2-17
- underground, observation post, 5-39
 - (illus)
- urban environment, 6-1 through 6-26
 - characteristics, 6-3 through 6-6
 - combat multipliers, 6-20 through 6-26 (see combat support)
 - CSS, 6-17
 - definitions, 6-1
 - exfiltration, 6-11
 - fire support (see separate entry), 6-12
 - infiltration, 6-11
 - Javelin (see also separate entry), F-7 through F-9 (illus)
 - planning, 6-6 through 6-18
 - urban operations sketch, 6-9 (illus)
- urban reconnaissance, 4-29 through 4-33
 - dismounted teams, 4-29
 - patrolling, 4-31
- WARNO (see warning order)
- warning order, combat orders, 2-5
 - issue, TLP, 2-7
- weather, METT-TC factors, TLP, 2-13
- wedge, movement formation, 3-5 (illus)
- zone reconnaissance, 4-19 through 4-29
 - dismounted, 4-21
 - methods, 4-21 through 4-24
 - converging routes, 4-22; 4-23
 - (illus)
 - fan, 4-21; 4-22 (illus)
 - successive routes, 4-23; 4-24
 - (illus)
 - mounted, 4-20
- patrol, 10-8 through 10-11
 - moving, 10-9 through 10-11
 - box, 10-9; 10-10 (illus)
 - converging routes, 10-10
 - (illus)
 - fan, 10-9 (illus)
 - successive routes, 10-10; 10-11 (illus)
 - stationary, 10-11